

Sample Received: May 7, 2026 COA Issued: May 18, 2026

PRODUCT INFORMATION

Vendor: Stat peptides	Sample Name: BAC Water 30mL	Sample Type: Clear liquid	Lot Number: 26042501	MW: 91.1
--------------------------	--------------------------------	------------------------------	-------------------------	-------------



ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: BAC Water	Benzyl Alcohol	MALDI-MS	✓ Conforms
Content	1.0013 %	HPLC Quantitation	✓ Conforms
Overall Purity	99.8%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05EU/mL	<USP<85>>	✓ Conforms
pH	5.96	<pH meter>	✓ Conforms

HPLC Chromatogram (Retention Time: 4.813 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian’s analytical quality specifications for peptide research use.
Visit: <https://bioviridians.com/coa-search.html>



Shane Straight
Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.

